NIT	Revision nr. 1 Dated 21/10/2015	
	Printed on 21/10/2015	
ESXTSTPASO	Page n. 1/10	
	Safety data sheet	
SECTION 1. Identification of the	e substance/mixture and of the com	pany/undertaking
1.1. Product identifier		
Code:	ESXTSTPAS002	
Product name	PASSI TEST REAGENT	
Chemical name and synonym	PASSI TEST LIQUID	
1.2. Relevant identified uses of the substant Intended use Electrolyte so	nce or mixture and uses advised against plution for Passi Test	
1.3. Details of the supplier of the safety da	ta sheet	
Name	NITTY-GRITTY S.R.L.	
Full address District and Country	via dei Marmorari 36 41057 Spilamberto (Mo)	
	Italia	
	Tel. 059785210	
	Fax 0597861612	
e-mail address of the competent person		
responsible for the Safety Data Sheet	guerrieri@nitty-gritty.it	
1.4. Emergency telephone number		
For urgent inquiries refer to	POISON CENTER ITALY: 06/3054343 06/49970698	AUSTRIA: +43 1 406 43 43
	BELGIUM: 070 245 245	BULGARIA: +359 2 9154 409
	CROATIA: +385 1 2348 342	DENMARK: +45 82 12 12 12
	CZECH REPUBLIC: +420 224 919 293	ESTONIA: 16662, (+372) 626 93 90
	FINLAND : 09 471977	FRANCE: + 33 (0)1 45 42 59 59
	GERMANY: +49 228 287 3211	GRECEE : +30 10 779 3777
	HUNGARY: +36 80 20 11 99	ICELAND :+354 525 111
	IRELAND: 01 8092566 or 01 8379964 NORWAY: 22 59 13 00	NETHERLANDS : 030 274 88 88 POLAND:(12) 411 99 99
	PORTUGAL: 808 250 143	ROMANIA: 021.318.36.06
	RUSSIAN: (495) 628 1687	SLOVAKIA: +421 2 5477 4166
	SLOVENIA: + 386 41 650 500	SPAIN: + 34 91 562 04 20
	SWEDEN: +46 8 33 12 31	TURKEY : 0 800 314 7900
	UNITED KINGDOM: 111	TORRET . 0 000 314 7500

# **SECTION 2. Hazards identification.**

#### 2.1. Classification of the substance or mixture.

The product is not classified as hazardous pursuant to the provisions set forth in EC Regulation 1272/2008 (CLP). However, since the product contains hazardous substances in concentrations such as to be declared in section no. 3, it requires a safety data sheet with appropriate information, compliant to EC Regulation 1907/2006 and subsequent amendments. Hazard classification and indication:

#### 2.2. Label elements.

Hazard pictograms: --

# **ESXTSTPAS002 - PASSI TEST REAGENT**

Revision nr. 1

Dated 21/10/2015

Printed on 21/10/2015 Page n. 2/10

Signal words:

Hazard statements:

**EUH210** Safety data sheet available on request.

\_\_\_

---

Precautionary statements:

2.3. Other hazards.

On the basis of available data, the product does not contain any PBT or vPvB in percentage greater than 0,1%.

## **SECTION 3. Composition/information on ingredients.**

#### 3.1. Substances.

Information not relevant.

#### 3.2. Mixtures.

Contains:

Identification.		Conc. %.	Classification 1272/2008 (CLP).	
	SULPHURIC ACID		(01)	
	CAS. 7664-93-9	2,5 - 3	Skin Corr. 1A H314, Note B	
	EC. 231-639-5			
	INDEX. 016-020-00-8			

Note: Upper limit is not included into the range.

The full wording of hazard (H) phrases is given in section 16 of the sheet.

## **SECTION 4. First aid measures.**

#### 4.1. Description of first aid measures.

EYES: Remove contact lenses, if present. Wash immediately with plenty of water for at least 30-60 minutes, opening the eyelids fully. Get medical advice/attention.

SKIN: Remove contaminated clothing. Rinse skin with a shower immediately. Get medical advice/attention.

INGESTION: Have the subject drink as much water as possible. Get medical advice/attention. Do not induce vomiting unless explicitly authorised by a doctor.

INHALATION: Get medical advice/attention immediately. Remove victim to fresh air, away from the accident scene. If the subject stops breathing, administer artificial respiration. Take suitable precautions for rescue workers.

#### 4.2. Most important symptoms and effects, both acute and delayed.

For symptoms and effects caused by the contained substances, see chap. 11.

Revision nr. 1

Page n. 3/10

# **ESXTSTPAS002 - PASSI TEST REAGENT**

Dated 21/10/2015

Printed on 21/10/2015

4.3. Indication of any immediate medical attention and special treatment needed.

Information not available.

## **SECTION 5. Firefighting measures.**

#### 5.1. Extinguishing media.

SUITABLE EXTINGUISHING EQUIPMENT The extinguishing equipment should be of the conventional kind: carbon dioxide, foam, powder and water spray. UNSUITABLE EXTINGUISHING EQUIPMENT None in particular.

#### 5.2. Special hazards arising from the substance or mixture.

HAZARDS CAUSED BY EXPOSURE IN THE EVENT OF FIRE Do not breathe combustion products.

#### 5.3. Advice for firefighters.

#### GENERAL INFORMATION

Use jets of water to cool the containers to prevent product decomposition and the development of substances potentially hazardous for health. Always wear full fire prevention gear. Collect extinguishing water to prevent it from draining into the sewer system. Dispose of contaminated water used for extinction and the remains of the fire according to applicable regulations.

SPECIAL PROTECTIVE EQUIPMENT FOR FIRE-FIGHTERS

Normal fire fighting clothing i.e. fire kit (BS EN 469), gloves (BS EN 659) and boots (HO specification A29 and A30) in combination with self-contained open circuit positive pressure compressed air breathing apparatus (BS EN 137).

## **SECTION 6.** Accidental release measures.

#### 6.1. Personal precautions, protective equipment and emergency procedures.

#### Block the leakage if there is no hazard.

Wear suitable protective equipment (including personal protective equipment referred to under Section 8 of the safety data sheet) to prevent any contamination of skin, eyes and personal clothing. These indications apply for both processing staff and those involved in emergency procedures.

#### 6.2. Environmental precautions.

The product must not penetrate into the sewer system or come into contact with surface water or ground water.

#### 6.3. Methods and material for containment and cleaning up.

Collect the leaked product into a suitable container. Evaluate the compatibility of the container to be used, by checking section 10. Absorb the remainder with inert absorbent material.

Make sure the leakage site is well aired. Check incompatibility for container material in section 7. Contaminated material should be disposed of in compliance with the provisions set forth in point 13.

# **ESXTSTPAS002 - PASSI TEST REAGENT**

Revision nr. 1

Dated 21/10/2015

Printed on 21/10/2015

Page n. 4/10

#### 6.4. Reference to other sections.

Any information on personal protection and disposal is given in sections 8 and 13.

## **SECTION 7. Handling and storage.**

#### 7.1. Precautions for safe handling.

Before handling the product, consult all the other sections of this material safety data sheet. Avoid leakage of the product into the environment. Do not eat, drink or smoke during use. Remove any contaminated clothes and personal protective equipment before entering places in which people eat.

#### 7.2. Conditions for safe storage, including any incompatibilities.

Store only in the original container. Store the containers sealed, in a well ventilated place, away from direct sunlight. Keep containers away from any incompatible materials, see section 10 for details.

#### 7.3. Specific end use(s).

Information not available.

## SECTION 8. Exposure controls/personal protection.

#### 8.1. Control parameters.

Regulatory References:

DEU	Deutschland	MAK-und BAT-Werte-Liste 2012
DNK	Danmark	Graensevaerdier per stoffer og materialer
ESP	España	INSHT - Límites de exposición profesional para agentes químicos en España 2015
FRA	France	JORF n°0109 du 10 mai 2012 page 8773 texte n° 102
GRB	United Kingdom	EH40/2005 Workplace exposure limits
HUN	Magyarország	50/2011. (XII. 22.) NGM rendelet a munkahelyek kémiai biztonságáról
ITA	Italia	Decreto Legislativo 9 Aprile 2008, n.81
NLD	Nederland	Databank of the social and Economic Concil of Netherlands (SER) Values, AF 2011:18
SWE	Sverige	Occupational Exposure Limit Values, AF 2011:18
EU	OEL ĔU	Directive 2009/161/EU; Directive 2006/15/EC; Directive 2004/37/EC; Directive 2000/39/EC.
	TLV-ACGIH	ACGIH 2014

## SULPHURIC ACID

Threshold Limit Value. Type	Country	TWA/8h		STEL/15min		
		mg/m3	ppm	mg/m3	ppm	
AGW	DEU	0,1		0,1		INHAL.

# **ESXTSTPAS002 - PASSI TEST REAGENT**

Revision nr. 1 Dated 21/10/2015

Printed on 21/10/2015

Page	n.	5/10	

MAK	DEU	0,1	0,1	INHAL.	
TLV	DNK	1			
VLA	ESP	0,05			
VLEP	FRA	0,05	3	THORA.	
WEL	GRB	0,05		THORA.	
AK	HUN	1	1		
TLV	ITA	0,05		THORA.	
OEL	NLD	0,05		THORA.	
MAK	SWE	0,1	0,2		
OEL	EU	0,05			
TLV-ACGIH		0,2			

Legend:

(C) = CEILING ; INHAL = Inhalable Fraction ; RESP = Respirable Fraction ; THORA = Thoracic Fraction.

#### 8.2. Exposure controls.

As the use of adequate technical equipment must always take priority over personal protective equipment, make sure that the workplace is well aired through effective local aspiration.

#### HAND PROTECTION

Protect hands with category III work gloves (see standard EN 374).

The following should be considered when choosing work glove material: compatibility, degradation, failure time and permeability. The work gloves' resistance to chemical agents should be checked before use, as it can be unpredictable. The gloves' wear time depends on the duration and type of use.

#### SKIN PROTECTION

Wear category I professional long-sleeved overalls and safety footwear (see Directive 89/686/EEC and standard EN ISO 20344). Wash body with soap and water after removing protective clothing.

#### EYE PROTECTION

Wear airtight protective goggles (see standard EN 166).

#### RESPIRATORY PROTECTION

If the threshold value (e.g. TLV-TWA) is exceeded for the substance or one of the substances present in the product, use a mask with a type B filter whose class (1, 2 or 3) must be chosen according to the limit of use concentration. (see standard EN 14387). In the presence of gases or vapours of various kinds and/or gases or vapours containing particulate (aerosol sprays, fumes, mists, etc.) combined filters are required.

Respiratory protection devices must be used if the technical measures adopted are not suitable for restricting the worker's exposure to the threshold values considered. The protection provided by masks is in any case limited.

If the substance considered is odourless or its olfactory threshold is higher than the corresponding TLV-TWA and in the case of an emergency, wear open-circuit compressed air breathing apparatus (in compliance with standard EN 137) or external air-intake breathing apparatus (in compliance with standard EN 138). For a correct choice of respiratory protection device, see standard EN 529.

ENVIRONMENTAL EXPOSURE CONTROLS.

The emissions generated by manufacturing processes, including those generated by ventilation equipment, should be checked to ensure compliance with environmental standards.

## **SECTION 9.** Physical and chemical properties.

9.1. Information on basic physical and chemical properties.

Appearance

liquid

# **ESXTSTPAS002 - PASSI TEST REAGENT**

colourless mild Not available. Not available. Not available. Not available. > 60 °C. Not available. soluble in water Not available. Not available. Not available. Not available. Not available. Not available.

Revision nr. 1

Dated 21/10/2015

Printed on 21/10/2015 Page n. 6/10

#### 9.2. Other information.

Information not available.

## **SECTION 10. Stability and reactivity.**

#### 10.1. Reactivity.

There are no particular risks of reaction with other substances in normal conditions of use.

SULPHURIC ACID: decomposes at 450°C/842°F.

#### 10.2. Chemical stability.

The product is stable in normal conditions of use and storage.

#### 10.3. Possibility of hazardous reactions.

No hazardous reactions are foreseeable in normal conditions of use and storage.

#### 10.4. Conditions to avoid.

None in particular. However the usual precautions used for chemical products should be respected.

#### 10.5. Incompatible materials.

SULPHURIC ACID: flammable substances, reducing substances, basic substances, metals, organic substances and water.

**ESXTSTPAS002 - PASSI TEST REAGENT** 

Revision nr. 1

Dated 21/10/2015

Printed on 21/10/2015 Page n. 7/10

10.6. Hazardous decomposition products.

SULPHURIC ACID: sulphur oxide.

## **SECTION 11.** Toxicological information.

#### 11.1. Information on toxicological effects.

In the absence of experimental data for the product itself, health hazards are evaluated according to the properties of the substances it contains, using the criteria specified in the applicable regulation for classification. It is therefore necessary to take into account the concentration of the individual hazardous substances indicated in section 3, to evaluate the toxicological effects of exposure to the product.

SULPHURIC ACID LD50 (Oral).2140 mg/kg Rat

## **SECTION 12. Ecological information.**

Use this product according to good working practices. Avoid littering. Inform the competent authorities, should the product reach waterways or contaminate soil or vegetation.

12.1. Toxicity. Information not available.

#### 12.2. Persistence and degradability.

SULPHURIC ACID Solubility in water. mg/l 1000 - 10000 Biodegradability: Information not available.

#### 12.3. Bioaccumulative potential.

Information not available.

#### 12.4. Mobility in soil.

Information not available.

#### 12.5. Results of PBT and vPvB assessment.

On the basis of available data, the product does not contain any PBT or vPvB in percentage greater than 0,1%.

#### 12.6. Other adverse effects.

Information not available.

# Revision nr. 1 NITTY-GRITTY S.R.L. Dated 21/10/2015 Printed on 21/10/2015 **ESXTSTPAS002 - PASSI TEST REAGENT** Page n. 8/10 **SECTION 13. Disposal considerations.** 13.1. Waste treatment methods. Reuse, when possible. Neat product residues should be considered special non-hazardous waste. Disposal must be performed through an authorised waste management firm, in compliance with national and local regulations. CONTAMINATED PACKAGING Contaminated packaging must be recovered or disposed of in compliance with national waste management regulations. **SECTION 14. Transport information.** 14.1. UN number. Not applicable. 14.2. UN proper shipping name. Not applicable. 14.3. Transport hazard class(es). Not applicable. 14.4. Packing group. Not applicable. 14.5. Environmental hazards. Not applicable. 14.6. Special precautions for user. Not applicable.

14.7. Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code.

**ESXTSTPAS002 - PASSI TEST REAGENT** 

Revision nr. 1

Dated 21/10/2015 Printed on 21/10/2015

Page n. 9/10

Information not relevant.

## **SECTION 15.** Regulatory information.

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture.

Seveso category. None.

Restrictions relating to the product or contained substances pursuant to Annex XVII to EC Regulation 1907/2006.

None.

Substances in Candidate List (Art. 59 REACH).

None.

Substances subject to authorisarion (Annex XIV REACH).

None.

Substances subject to exportation reporting pursuant to (EC) Reg. 649/2012:

None.

Substances subject to the Rotterdam Convention:

None.

Substances subject to the Stockholm Convention:

None.

Healthcare controls.

Information not available.

#### 15.2. Chemical safety assessment.

No chemical safety assessment has been processed for the mixture and the substances it contains.

## **SECTION 16.** Other information.

Text of hazard (H) indications mentioned in section 2-3 of the sheet:

Skin Corr. 1A	Skin corrosion, category 1A
H314	Causes severe skin burns and eye damage.
EUH210	Safety data sheet available on request.

LEGEND:

- ADR: European Agreement concerning the carriage of Dangerous goods by Road

CAS NUMBER: Chemical Abstract Service Number

- CE50: Effective concentration (required to induce a 50% effect)

**ESXTSTPAS002 - PASSI TEST REAGENT** 

Revision nr. 1

Page n. 10/10

Dated 21/10/2015

Printed on 21/10/2015

- CE NUMBER: Identifier in ESIS (European archive of existing substances)
- CLP: EC Regulation 1272/2008
- DNEL: Derived No Effect Level
- EmS: Emergency Schedule
- GHS: Globally Harmonized System of classification and labeling of chemicals
- IATA DGR: International Air Transport Association Dangerous Goods Regulation
- IC50: Immobilization Concentration 50%
- IMDG: International Maritime Code for dangerous goods
- IMO: International Maritime Organization
- INDEX NUMBER: Identifier in Annex VI of CLP
- LC50: Lethal Concentration 50%
- LD50: Lethal dose 50%
- OEL: Occupational Exposure Level
- PBT: Persistent bioaccumulative and toxic as REACH Regulation
- PEC: Predicted environmental Concentration
- PEL: Predicted exposure level
- PNEC: Predicted no effect concentration
- REACH: EC Regulation 1907/2006
- RID: Regulation concerning the international transport of dangerous goods by train
- TLV: Threshold Limit Value
- TLV CEILING: Concentration that should not be exceeded during any time of occupational exposure.
- TWA STEL: Short-term exposure limit
- TWA: Time-weighted average exposure limit
- VOC: Volatile organic Compounds
- vPvB: Very Persistent and very Bioaccumulative as for REACH Regulation
- WGK: Water hazard classes (German).

#### GENERAL BIBLIOGRAPHY

- 1. Regulation (EU) 1907/2006 (REACH) of the European Parliament
- 2. Regulation (EU) 1272/2008 (CLP) of the European Parliament
- 3. Regulation (EU) 790/2009 (I Atp. CLP) of the European Parliament
- 4. Regulation (EU) 2015/830 of the European Parliament
- 5. Regulation (EU) 286/2011 (II Atp. CLP) of the European Parliament
- 6. Regulation (EU) 618/2012 (III Atp. CLP) of the European Parliament
- 7. Regulation (EU) 487/2013 (IV Atp. CLP) of the European Parliament
- 8. Regulation (EU) 944/2013 (V Atp. CLP) of the European Parliament
- 9. Regulation (EU) 605/2014 (VI Atp. CLP) of the European Parliament
- The Merck Index. 10th Edition
- Handling Chemical Safety
- INRS Fiche Toxicologique (toxicological sheet)
- Patty Industrial Hygiene and Toxicology
- N.I. Sax Dangerous properties of Industrial Materials-7, 1989 Edition
- ECHA website

Note for users:

The information contained in the present sheet are based on our own knowledge on the date of the last version. Users must verify the suitability and thoroughness of provided information according to each specific use of the product.

This document must not be regarded as a guarantee on any specific product property.

The use of this product is not subject to our direct control; therefore, users must, under their own responsibility, comply with the current health and safety laws and regulations. The producer is relieved from any liability arising from improper uses.

Provide appointed staff with adequate training on how to use chemical products.